

## SEQUENCE LISTING

## RECEIVED #Y APR 0 5 2002 TECH CENTER 1600/2900

24

22

## <110> FEARON, Karen L. DINA, Dino

## <120> IMMUNOMODULATORY POLYNUCLEOTIDES AND METHODS OF USING THE SAME

<130>	377882001800
	10/033,243 2001-12-27
	60/258,675 2000-12-27
<160>	133
<170>	FastSEQ for Windows Version 4.0
<210><211><212><212><213>	24
<220> <223>	Polynucleotide containing CG
<400> tcgtcg	1 gaacg ttcgttaacg ttcg
<210><211><212><212><213>	22
<220> <223>	Polynucleotide containing CG
<400> tgacto	2 gtgaa cgutcgagat ga
<210><211><212><213>	24
<220> <223>	Polynucleotide containing CG

<pre>&lt;400&gt; 3 tcgtcgaucg utcgttaacg utcg</pre>	24
<210> 4 <211> 24 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 4 tcgtcgaucg ttcgtuaacg utcg	24
<210> 5 <211> 24 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 5 tcgtcguacg utcgttaacg utcg	24
<210> 6 <211> 24 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 8 <223> n = 2-amino-adenine	
<400> 6 tcgtcgancg utcgttaacg utcg	24
<210> 7 <211> 24 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 7 tgatcgaacg ttcgttaacg ttcg	24
<210> 8	

<211>	22	
<212>	DNA	
<213>	Artificial Sequence	
	•	
<220>		
	Polynucleotide containing CG	
(2237	Tolynacicociae containing oc	
<400>	0	
		22
tgaete	gtgaa cgutcggtat ga	22
010		
<210>		
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Polynucleotide containing CG	
<400>	9	
		22
-5		
<210>	10	
<211>		
<212>		
<213>	Artificial Sequence	
220		
<220>	D. J. and	
<223>	Polynucleotide containing CG	
400	10	
<400>		22
tgacto	gtgat cggtcggtat ga	22
<210>		
<211>		
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Polynucleotide containing CG	
	•	
<400>	11	
	gaacg ttcgtt	16
5		
<210>	12	
<211>		
<211>		
<413>	Artificial Sequence	
200		
<220>	D. 1. and antide combaining CC	
<223>	Polynucleotide containing CG	
<400>	12	

tcgtcgtgaa cgttcgagat ga	22
<210> 13 <211> 22 <212> DNA	
<213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 13 tcgtcggtat cggtcggtat ga	22
<210> 14 <211> 18 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 14 cttcgaacgt tcgagatg	18
<210> 15 <211> 18 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 15 ctgtgatcgt tcgagatg	18
<210> 16 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 16 tgactgtgaa cggtcggtat ga	22
<210> 17 <211> 22 <212> DNA <213> Artificial Sequence	
<220>	

<223> Polynucleotide containing CG	
<400> 17 tcgtcggtac cgttcggtat ga	22
<210> 18 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 18 tcgtcggaac cgttcggaat ga	22
<210> 19 <211> 19 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 19 tcgtcgaacg ttcgagatg	19
<210> 20 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 20 tcgtcgtaac gttcgagatg	20
<210> 21 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 21 tgactgtgac cgttcggaat ga	22
<210> 22 <211> 22 <212> DNA	

<213>	Artificial Sequence	
<220> <223>	Polynucleotide containing CG	
<400> tcgtcg	22 gaacg ttcgaacgtt cg	22
<210><211><211><212><213>	19	
<220> <223>	Polynucleotide containing CG	
<222>	<pre>misc_feature 2, 5 n = 5-bromocytocine</pre>	
<400> tngtng	23 gaacg ttcgagatg	19
<210><211><212><212><213>	19	
<220> <223>	Polynucleotide containing CG	
<222>	<pre>misc_feature 5 n = 5-bromocytosine</pre>	
<400> tcgtn	24 gaacg ttcgagatg	19
<210><211><211><212><213>	20	
<220> <223>	Polynucleotide containing CG	
<400> tcgtc	25 gaccg ttcggaatga	20
<210><211>	20	

<213> Artificia	al Sequence	
<220> <223> Polynucle	eotide containing CG	
<221> misc_feat <222> 2, 5	cure	
<222 $z$ , $=$ 5-bro	omocytosine	
<400> 26 tngtngaccg ttcg	ggaatga	20
engengaceg cees	,544054	
<210> 27		
<211> 20		
<212> DNA		
<213> Artificia	al Sequence	
<220>		
	eotide containing CG	
001		
<221> misc_feat <222> 5	cure	
$\langle 222 \rangle$ 5 $\langle 223 \rangle$ n = 5-bro	omocytosine	
<223> 11 = 3-DIC	Silocy costne	
<400> 27		
tcgtngaccg ttcg	ggaatga	20
<210> 28		
<211> 28		
<211> 22 <212> DNA		
<213> Artificia	al Sequence	
<220>	tide mantaining GG	
<223> Polynucie	eotide containing CG	
<400> 28		
ttcgaacgtt cgtt	taacgtt cg	22
010 00		
<210> 29 <211> 18		
<211> 18 <212> DNA		
<213> Artificia	al Sequence	
<220>		
<223> Polynucle	eotide containing CG	
<221> misc_feat	ture	
<222> 4		
<223> n = 5-brown	omocytosine	
400: 20		
<400> 29 cttngaacgt tcga	yaqatq	18
	·=·J = - J	

<210> 30 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 30 tgatcgtcga acgttcgaga tg	22
<210> 31 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 11 <223> n = 5-bromocytosine	
<400> 31 tgactgtgaa ngutcgagat ga	22
<210> 32 <211> 24 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 9, 19 <223> n = 5-bromocytosine	
<400> 32 tcgtcgaang ttcgttaang ttcg	24
<210> 33 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 11	

<223> n = 5-bromocytosine	
<400> 33 tgactgtgaa ngutcggtat ga	22
<210> 34 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 11 <223> n = 5-bromocytosine	
<400> 34 tgactgtgaa ngutcggaat ga	22
<210> 35 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 11 <223> n = 5-bromocytosine	
<400> 35 tcgtcggaaa ngutcggaat ga	- 22
<210> 36 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 5, 9 <223> n = 5-bromocytosine	
<400> 36 tcgtngaang utcggaatga	20
<210> 37	

```
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing CG
<221> misc feature
<222> 11
<223> n = 5-bromocytosine
<400> 37
                                                                           22
tgactgtgaa ngttcgagat ga
<210> 38
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc feature
<222> 11, 15
\langle 223 \rangle n = 5-bromocytosine
<400> 38
                                                                           22
tgactgtgaa ngttngagat ga
<210> 39
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc_feature
<222> 11
<223> n = 5-bromocytosine
<400> 39
                                                                            22
tgactgtgaa ngttccagat ga
<210> 40
<211> 22
<212> DNA
<213> Artificial Sequence
<223> Polynucleotide containing CG
 <400> 40
```

tgactgtgaa cgtucgagat ga	22
<210> 41 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 13 <223> n = 5-bromouracil	
<400> 41 tgactgtgaa cgntcgagat ga	22
<210> 42 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 11 <223> n = 5-bromocytosine	
<400> 42 tgactgtgaa ngttcgtuat ga	22
<210> 43 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	·
<221> misc_feature <222> 11 <223> n = 5-bromocytosine	
<400> 43 tgactgtgaa ngttcggtat ga	22
<210> 44 <211> 18 <212> DNA <213> Artificial Sequence	

<220> <223> Polynucleotide containing CG	
<400> 44 ctgtgaacgt tcgagatg	18
<210> 45 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 2, 5 <223> n = 5-bromocytosine	
<400> 45 tngtngtgaa cgttcgagat ga	22
<210> 46 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 5 <223> n = 5-bromocytosine	
<400> 46 tcgtngtgaa cgttcgagat ga	22
<210> 47 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 13 <223> n = 4-thio-thymine	
<400> 47 tgactgtgaa cgntcgagat ga	22

<210>		
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Polynucleotide containing C(6-thio-guanine)	
	misc_feature	
	12, 16	
<223>	n = 6-thio-guanine	
<400>		22
tgact	gtgaa cnttcnagat ga	22
<210>	·	
<211>		
<212>		
<213>	Artificial Sequence	
<220>	D. J J	
<223>	Polynucleotide containing CG	
400	4.0	
<400>		22
tgact	gtgaa cgttcgtuat ga	
<210>	EO.	
<210>		
<211>		
	Artificial Sequence	
<213 <i>&gt;</i>	Artificial bequence	
<220>		
	Polynucleotide containing CG	
\2257		
<400>	50	
	gtgaa cgttcgttat ga	22
- 5		
<210>	51	
<211>	24	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Polynucleotide containing CG	
<400>		
tcgtt	caacg ttcgttaacg ttcg	24
<210>		
<211>		
<212>		
~213	Artificial Sequence	

<220> <223> Polynucleotide containing CG	
<400> 52 tgattcaacg ttcgttaacg ttcg	24
<210> 53 <211> 18 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 53 ctgtcaacgt tcgagatg	18
<210> 54 <211> 14 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 2, 5 <223> n = 5-bromocytosine	:
<400> 54 tnctncaccg ttcg	14
<210> 55 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 55 tegteggaac gttegagatg	20
<210> 56 <211> 19 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	

tcgtcggacg ttcgagatg	19
<210> 57 <211> 19 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 57 tcgtcgtacg ttcgagatg	19
<210> 58 <211> 19 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 58 tcgtcgttcg ttcgagatg	19
<210> 59 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 59 tgactgtgaa cgttcgagat ga	22
<210> 60 <211> 22 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide not containing CG	
<400> 60 tgactgtgaa ccttagagat ga	22
<210> 61 <211> 22 <212> DNA <213> Artificial Sequence	

<220> <223>	Polynucleotide not containing CG	
<400> tgacto	61 gtgaa ggttagagat ga	22
<210><211><212><212><213>	10	
<220><223>	Polynucleotide containing CG	
<222>	<pre>misc_feature 1 n= t, g, c, or 5-bromocytosine</pre>	
<222>	<pre>misc_feature 4 n= t or m</pre>	
<400> ndance		10
<210><211><212><213>	10	
<220> <223>	Polynucleotide containing CG	
<400> tgaac		10
<210><211><212><212><213>	10	
<220> <223>	Polynucleotide containing CG	
<400> ggaac		10
<210><211><211><212><213>	10	

```
<220>
<223> Polynucleotide containing (5-bromocystosine)G
<221> misc feature
<222> 1
<223> n = t, g, c or 5-bromocytosine
<221> misc_feature
<222> 4
<223> n = t or m
<221> misc_feature
<222> 5
<223> n = 5-bromocytosine
<400> 65
                                                                         10
ndanngktcg
<210> 66
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc_feature
<222> 5
<223> n = 5-bromocytosine
<400> 66
                                                                          10
tgaangttcg
<210> 67
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing CG
<400> 67
                                                                          10
tgaacgutcg
<210> 68
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing CG
```

<400> 68 tgaccgttcg	10
<210> 69 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 69 tgatcggtcg	10
<210> 70 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 70 tgatcgttcg	10
<210> 71 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 71 tgaacggtcg	10
<210> 72 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 72 gtaacgttcg	10
<210> 73 <211> 10 <212> DNA <213> Artificial Sequence	

<220> <223>	Polynucleotide containing CG	
<400> gtatcg		10
<210><211><211><212><213>	10	
<220> <223>	Polynucleotide containing CG	
<400> gtaccg		10
<210><211><211><212><213>	·10	
<220> <223>	Polynucleotide containing CG	
<400> gaacc		10
<210><211><212><212><213>	10	
<220> <223>	Polynucleotide containing CG	
<222>	<pre>misc_feature 1 n = 5-bromocytosine</pre>	
<400> ngacc		10
<210><211><212><212><213>	10	
<220> <223>	Polynucleotide containing CG	
<400>	• 77	

cgaacgttcg	10
<210> 78 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 78 cgaccgttcg	10
<210> 79 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 1 <223> n = 5-bromocytosine	
<400> 79 ngaacgttcg	10
<210> 80 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 80 ttaacgutcg	10
<210> 81 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 81 tuaacgutcg	10
<210> 82 <211> 10	

```
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing CG
<400> 82
                                                                          10
ttaacgttcg
<210> 83
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc_feature
<222> 5
<223> n = 5-bromocytosine
<400> 83
                                                                          10
tgaangutcg
<210> 84
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc_feature
<222> 5
<223> n = 5-bromocytosine
<400> 84
                                                                          10
tgacngttcg
<210> 85
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc_feature
-<222> 5
<223> n = 5-bromocytosine
<400> 85
```

tgatnggtcg	10
<210> 86 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing (5-bromocytosine)G	
<221> misc_feature <222> 5 <223> n = 5-bromocytosine	
<400> 86 gtatnggtcg	10
<210> 87 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing (5-bromocytosine)G	
<221> misc_feature <222> 5 <223> n = 5-bromocytosine	
<400> 87 gtacngttcg	10
<210> 88 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing (5-bromocytosine)G	
<221> misc_feature <222> 5 <223> n = 5-bromocytosine	
<400> 88 gaacngttcg	10
<210> 89 <211> 10 <212> DNA <213> Artificial Sequence	

```
<220>
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc_feature
<222> 5
<223> n = 5-bromocytosine
<400> 89
                                                                         10
gaaangutcg
<210> 90
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc_feature
<222> 1, 5
<223> n = 5-bromocytosine
<400> 90
                                                                          10
ngacngttcg
<210> 91
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc feature
<222> 5
<223> n = 5-bromocytosine
<400> 91
                                                                          10
cgaangttcg
<210> 92
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc feature
<222> 1, 5
<223> n = 5-bromocytosine
```

<400> 92	10
ngaangttcg	10
<210> 93 <211> 10 <212> DNA	
<213> Artificial Sequence	
<220> <223> Polynucleotide containing (5-bromo	cytosine)G
<221> misc_feature <222> 1, 5	
<223> n = 5-bromocytosine	
<400> 93 ngaangutcg	10
<210> 94 <211> 10	
<212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing (5-bromo	ocytosine)G
<221> misc_feature	
<223> n = 5-bromocytosine	
<400> 94 ttaangutcg	10
<210> 95 <211> 10	
<212> DNA	
<213> Artificial Sequence	
<220> <223> Polynucleotide containing (5-bromo	ocytosine)G
<221> misc_feature <222> 5	
<222> 5 <223> n = 5-bromocytosine	
<400> 95 tuaangutcg	10
<210> 96	
<211> 10	
<212> DNA <213> Artificial Sequence	
<zij> ALLILICIAI DEGUENCE</zij>	

<220> <223> I	Polynucleotide containing (5-bromocytosine)G	
<222> 5		
<223> 1	n = 5-bromocytosine	
<400> 9	·	10
<210> 9 <211> 1 <212> 1 <213> 2	13	
<220> <223>	Polynucleotide containing CG	
<400> tcgcga	97 acgt tcg	13
<210><211><211><212><213>	14	
<220> <223>	Polynucleotide containing CG	
<400> tcgtcg	98 aacg ttcg	14
<210><211><212><212><213>	13	
<220> <223>	Polynucleotide containing CG	
<222>	<pre>misc_feature 2 n = 5-bromocytosine</pre>	
<400> tngcga	99 aacgt tcg	13
<210><211><211><212><213>	14	

<220> <223> Polynucleotide con	taining CG		٠
<221> misc_feature <222> 2, 5 <223> n = 5-bromocytosin	e		
<400> 100 tngtngaacg ttcg		14	
<210> 101 <211> 13 <212> DNA <213> Artificial Sequence	e		
<220> <223> Polynucleotide con	taining CG		
<400> 101 tcgttaacgt tcg		. 13	;
<210> 102 <211> 11 <212> DNA <213> Artificial Sequence	e		
<220> <223> Polynucleotide cor	taining CG		
<400> 102 tcgaacgttc g		1:	L
<210> 103 <211> 13 <212> DNA <213> Artificial Sequence	ce		
<220> <223> Polynucleotide con	ntaining CG		
<400> 103 tcgtgaacgt tcg		1:	3
<210> 104 <211> 13 <212> DNA <213> Artificial Sequence	ce		
<220> <223> Polynucleotide co	ntaining CG		

<400> 104 tcggtatcgg tcg	13
<210> 105 <211> 13 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 105 tcggtaccgt tcg	13
<210> 106 <211> 13 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 106 tcggaaccgt tcg	13
<210> 107 <211> 12 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 107 tcggaacgtt cg	12
<210> 108 <211> 15 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 108 tegteggaac gtteg	15
<210> 109 <211> 12 <212> DNA <213> Artificial Sequence	

<220> <223> Polynucleotide containing CG	
<400> 109 tcgtaacgtt cg	12
<210> 110 <211> 11 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
•	
<400> 110 tegacegtte g	11
<210> 111 <211> 14 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<400> 111 tcgtcgaccg ttcg	14
<210> 112 <211> 13 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc_feature <222> 2 <223> n = 5-bromocytosine	
<400> 112 tnctgaacgt tcg	13
<210> 113 <211> 16 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing CG	
<221> misc feature	

<222> <223>	<pre>2, 5 n = 5-bromocytosine</pre>	
<400> tnctnc	113 etgaa egtteg	16
<210><211><211><212><213>	11	
<220> <223>	Polynucleotide containing CG	
<222>	<pre>misc_feature 2 n = 5-bromocytosine</pre>	
<400> tncaac	114 egtte g	11
<210><211><212><213>	14	
<220> <223>	Polynucleotide containing CG	
<222>	<pre>misc_feature 2, 5 n = 5-bromocytosine</pre>	
<400>	115 caacg ttcg	14
<210><211><212><212><213>	11	
<220> <223>	Polynucleotide containing CG	
<222>	misc_feature 2 n = 5-bromocytosine	
<400> tngac	egttc g	11
~210×	. 117	

<211>	16	
<212>	DNA	
<213>	Artificial Sequence	
	•	
<220>		
	Polynucleotide containing CG	
<b>42237</b>	Folyhacicociae containing co	
001	will facture	
	misc_feature	
<222>		
<223>	n = 5-bromocytosine	
<400>		
tcgtng	tgaa cgttcg	16
<210>	118	
<211>		
<212>		
<213>	Artificial Sequence	
<220>		
<223>	Polynucleotide containing CG	
<221>	misc_feature	
<222>		
	n = 5-bromocytosine	
\42J/		
<400>	110	
		14
tegtng	paacg ttcg	
<210>		
<211>		
<212>	DNA	
<213>	Artificial Sequence	
<220>		
	Polynucleotide containing CG	
12237	102/1140200240 0011042111115 11	
-221-	miga foaturo	
	misc_feature	
<222>		
<223>	n = 5-bromocytosine	
<400>	119	
tcgtng	gaccg ttcg	14
<210>	120	
<211>		
<212>		
	Artificial Sequence	
<413>	Arctitotat bequence	
000		
<220>		
<223>	Polynucleotide containing (5-bromocytosine)G	

<221> misc_feature <222> 8 <223> n = 5-bromocytosine	
<400> 120 tcggaaangt tcg	13
<210> 121 <211> 11 <212> DNA <213> Artificial Sequence	
<220> <223> Polynucleotide containing (5-bromocytosine)G	
<221> misc_feature <222> 6 <223> n = 5-bromocytosine	
<400> 121 tcgaangttc g	. 11
<210> 122 <211> 11 <212> DNA <213> Artificial Sequence	i
<220> <223> Polynucleotide containing (5-bromocytosine)G	
<221> misc_feature <222> 2, 6 <223> n = 5-bromocytosine	
<400> 122 tngaangutc g	11
<210> 123 <211> 11 <212> DNA <213> Artificial Sequence	* .
<220> <223> Polynucleotide containing (5-bromocytosine)G	
<221> misc_feature <222> 2, 6 <223> n = 5-bromocytosine	
<400> 123 tngaangttc g	11

```
<210> 124
<211> 14
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc feature
<222> 5, 9
<223> n = 5-bromocytosine
<400> 124
                                                                          14 .
tcgtngaang utcg
<210> 125
<211> 14
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc feature
<222> 5, 9
<223> n = 5-bromocytosine
<400> 125
                                                                          14
tcgtngaang ttcg
<210> 126
<211> 16
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing CG
<221> misc feature
<222> (4)...(6)
<223> tcg may or may not be present
<221> misc feature
<222> (7)...(8)
<223> n= any base
<221> misc feature
<222> 7
 <223> n may or may not be present
<221> misc_feature
 <222> 8
```

```
<223> n may or may not be present
<221> misc_feature
<222> 10
<223> n = t or m
<400> 126 '
                                                                         16
tcgtcgnnan cgktcg
<210> 127
<211> 16
<212> DNA
<213> Artificial Sequence
<223> Polynucleotide containing CG
<221> misc_feature
<222> 2, 5
<223> n = 5-bromocytosine
<221> misc feature
<222> (7)...(8)
<223> n = any base
<221> misc_feature
<222> 7
<223> n may or may not be present
<221> misc_feature
<222> 8
<223> n may or may not be present
<221> misc_feature
<222> 10
<223> n = t or m
<221> misc feature
<222> (4)...(6)
<223> tng may or may not be present
<400> 127
                                                                          16 .
tngtngnnan cgktcg
<210> 128
<211> 16
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing CG
```

```
<221> misc feature
<222> 5
<223> n = 5-bromocytosine
<221> misc_feature
<222> (7)...(8)
<223> n = any base
<221> misc_feature
<222> 7
<223> n may or may not be present
<221> misc_feature
<222> 8
<223> n may or may not be present
<221> misc_feature
<222> 10
<223> n = t or m
<400> 128
tcgtngnnan cgktcg
<210> 129
<211> 16
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing CG
<221> misc_feature
<222> (7)...(8)
<223> n = any base
<221> misc feature
<222> 7
<223> n may or may not be present
<221> misc_feature
<222> 8
<223> n may or may not be present
<221> misc_feature
<222> 10
<223> n = t or m
<221> misc_feature
<222> 11
<223> n = 5-bromocytosine
```

<221> misc\_feature

16

```
<222> (4)...(6)
 <223> tcg may or may not be present
<400> 129
tcgtcgnnan ngktcg
                                                                          16
<210> 130
<211> 16
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc_feature
<222> (4)...(6)
<223> tng may or may not be present
<221> misc_feature
<222> 2, 5, 11
<223> n = 5-bromocytosine
<221> misc_feature
<222> 10
<223> n = t or m
<221> misc_feature
<222> 7
<223> n may or may not be present
<221> misc_feature
<222> 8
<223> n may or may not be present
<221> misc_feature
<222> (7)...(8)
<223> n = any base
<400> 130
tngtngnnan ngktcg
                                                                          16
<210> 131
<211> 16
<212> DNA
<213> Artificial Sequence
<223> Polynucleotide containing (5-bromocytosine)G
<221> misc_feature
<222> 5, 11
<223> n = 5-bromocytosine
```

```
<221> misc feature
 <222> (7)...(8)
 <223> n = any base
 <221> misc_feature
 <222> 7
<223> n may or may not be present
<221> misc feature
<222> 8
<223> n may or may not be present
<221> misc_feature
<222> 10
<223> n = t or m
<400> 131
tcgtngnnan ngktcg
                                                                          16
<210> 132
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Polynucleotide containing CG
<400> 132
tcgtcgaacg ttcgagatga t
                                                                          21
<210> 133
<211> 10
<212> DNA
<213> Artificial Sequence
<223> Polynucleotide containing CG
<221> misc_feature
<222> 1
<223> n= t, c, or 5-bromocytosine
<221> misc_feature
<222> 4
<223> n= t or m
<400> 133
ndancgktcg
                                                                          10
```